

Outdoor
Effective February 15, 2015



# VGBQ Outdoor 30", 36", 42" and 54"W. Ultra-Premium Gas Grills - 5 Series



**VGBQ - 5 SERIES** 

# VGBQ Outdoor Gas Grills

- NEW 24" Depth
- VGBQ53024 2-25,000 BTU stainless steel grill burners
- 3.3 sq. ft (480 sq. in.) grilling area **VGBQ53624** 3-25,000 BTU stainless steel grill burners
- 4.3 sq. ft. (620 sq. in.) grilling area **VGBQ54224** 3-25,000 BTU stainless steel grill burners
- 4.9 sq. ft. (705.6 sq. in.) grilling area
- · VGBQ55424 4-25,000 BTU stainless steel grill burners
- 6.6 sq. ft. (950.4 sq. in.) grilling area
- 15,000 BTU Gourmet-Glo infrared rear burner (2 on 554 models) with rotisserie motor, 1/2" rotisserie rod and heavy-duty forks
- 120V electric ignition system
- Two heavy-duty halogen lights mounted on inside of grill canopy
- Burners are conveniently ignited by simply turning knob to the light position
- Burners have automatic re-ignition system
- Viking Blue LED control panel illumination
- Stainless steel grates
- Easy Lift™ canopy system
- Ceramic briquette flavor system with FlipClean™ design
- Removable smoker box
- · Adjustable two position stainless steel warming rack
- Stainless steel drip tray with stainless steel ball bearing roller glides
- · Hermetically sealed numerical thermometer on canopy gives approximate temperature readout for grilling

Model		Finish	Price	Shipping wt. lb (kg)
<b>VGBQ53024*</b> (Core)	00-0	SS		325 (147.5)
<b>VGBQ53624*</b> (Core)	0.00-0	SS		340 (154.2)
<b>VGBQ54224*</b> (Core)	200-0	SS		350 (158.9)
VGBQ55424* (Specialty)	000-000	SS		490 (222.5)

<sup>\*</sup>Must specify natural gas (N) or LP/propane (L)

#### VGIQ Outdoor 42" and 54"W. Ultra-Premium Gas Grills with TruSear™ Infrared Burner – 5 Series



VGIQ - 5 SERIES

### VGIQ Outdoor Gas Grills with TruSear Infrared Burner

- · NEW 24" Depth
- · VGIQ542241 2-25,000 BTU stainless steel grill burners
- 4.9 sq. ft. (705.6 sq. in.) grilling area
- VGIQ554241 3-25,000 BTU stainless steel grill burners
- 6.6 sq. ft. (950.4 sq. in.) grilling area
- 15,000 BTU Gourmet-Glo infrared rear burner (2 on 554 models) with rotisserie motor, ½" rotisserie rod and heavy-duty forks
- TruSear™ iconel stainless steel infrared grill burner
  - 30,000 BTU's High
  - 17,500 BTU's Low
- 120V electric ignition system
  - · Two heavy-duty halogen lights mounted on inside of grill canopy
  - Burners are conveniently ignited by simply turning knob to the light position
- · Burners have automatic re-ignition system
- Viking Blue LED control panel illumination
- Stainless steel grates
- Easy Lift™ canopy system
- Ceramic briquette flavor system with FlipClean™ design
- Removable smoker box
- · Adjustable two position stainless steel warming rack
- Stainless steel drip tray with stainless steel ball bearing roller glides
- Hermetically sealed numerical thermometer on canopy gives approximate temperature readout for grilling

Model		Finish	Price	Shipping wt. lb (kg)
<b>VGIQ542241*</b> (Core)	5.00-006	SS		350 (158.9)
<b>VGIQ554241*</b> (Core)	0.00-000	SS		490 (222.5)

<sup>\*</sup>Must specify natural gas (N) or LP/propane (L)

#### BQC Outdoor 30", 36", 42", and 54"W. Ultra-Premium Gas Grill Carts – 5 Series



#### Grill Cart (30"W. Grills)

- · NEW fits 24" D. Grills
- Heavy-duty stainless steel construction
- Two stainless steel 16"W. x 24"D. fold down side shelves
- Towel/utensil rod
- Rear access for LP tank
- · Large in-board solid rubber rear wheels and locking caster front wheels provide maneuverability as well as stability

Model	Finish	Price	Shipping wt. lb (kg)
BQC5301-SS (Specialty)	SS		165 (74.3)



#### Grill Cart (36"W. Grills)

- · NEW fits 24" D. Grills
- Heavy-duty stainless steel construction
- Two stainless steel 16"W. x 24"D. fold down side shelves
- Front access for LP tank
- · Large in-board solid rubber rear wheels and locking caster front wheels provide maneuverability as well as stability

Model	Finish	Price	Shipping wt. lb (kg)
BQC5361-SS (Specialty)	SS		190 (86.2)



# Grill Cart (42"W. Grills) • NEW - fits 24" D. Grills

- Heavy-duty stainless steel construction
- Two stainless steel 16"W. x 24"D. fold-down side shelves
- Front access for LP tank
- Two storage drawers
- · Large in-board solid rubber rear wheels and locking caster front wheels provide maneuverability as well as stability

Model	Finish	Price	Shipping wt. lb (kg)
BQC5421-SS (Specialty)	SS		255 (115.8)



# Grill Cart (54"W. Grills) • NEW - fits 24" D. Grills

- Heavy-duty stainless steel construction
- Two stainless steel 16"W. x 24"D. fold-down side shelves
- · Front access for LP tank
- Two storage drawers
- Front storage access door
- · Large in-board solid rubber rear wheels and locking caster front wheels provide maneuverability as well as stability

Model	Finish	Price	Shipping wt. lb (kg)
BQC5541-SS (Specialty)	SS		290 (131.7)

# VGBQ/VGIQ/VGSB Accessories



- VGBQ/VGIQ 5 Series Vinyl Covers
   Sturdy reinforced vinyl on the outside; felt lined to protect unit on the inside
- · Available in sizes to fit built-in or portable units

Model	Finish	Price	Shipping wt. lb (kg)
CV130-BI (30" Built-In Grill)	N/A		5 (2.3)
<b>CV130-C</b> (30" Cart)	N/A		8 (3.6)
<b>CV136-BI</b> (36" Built-in)	N/A		8 (3.6)
<b>CV136-C</b> (36" Cart)	N/A		10 (4.5)
<b>CV142-BI</b> (42" Built-in)	N/A		8 (3.6)
<b>CV142-C</b> (42" Cart)	N/A		10 (4.5)
<b>CV154-BI</b> (54" Built-in)	N/A		13 (5.5)
<b>CV154-C</b> (54" Cart)	N/A		15 (6.8)



# Warming Rack

- One standard with all units; can use up to two racks
- Provides additional rack space area for cooking and warming
- · Order by size of grill area
- Stainless steel construction

Model	Finish	Price	Shipping wt. lb (kg)
<b>WR530</b> – For 30" Grill	N/A		5 (2.3)
<b>WR536</b> – For 36" Grill	N/A		6 (2.7)
WR542 – For 42" All Grill	N/A		7 (3.2)
WR554 – For 54" All Grill	N/A		8 (3.6)



# Rotisserie Forks

• Two rotisserie forks for use with Gourmet-Glo™ rotisserie units

Model	Finish	Price	Shipping wt. lb (kg)
RFK	N/A		5 (2.3)

#### Wind Guards

- Ensures proper function in high-wind areas Avaliable in 30", 36", 42", and 54" widths

Model	Finish	Price	Shipping wt. lb (kg)
<b>WG530</b> – For 30" Grill	N/A		10 (4.5)
<b>WG536</b> – For 36" Grill	N/A		12 (5.4)
WG542– For 42" All Grill	N/A		14 (6.4)
<b>WG554</b> – For 54" All Grill	N/A		16 (7.3)

#### VGBQ/VGIQ Accessories

#### 500 Series Insulated Jackets

- Allows grill to be built into any combustible surface
- Avaliable in 30", 42", and 54" widths

Model	Finish	Price	Shipping wt. lb (kg)
INJK30	N/A		27 (12.2)
INJK36	N/A		30 (13.6)
INJK42	N/A		40 (18.1)
INJK54	N/A		54 (24.5)

## Filler Strip

• Retro-fits 500 Series grill carts and outdoor stainless steel cabinets

Model	Finish	Price	Shipping wt. lb (kg)
FS530	N/A		4 (1.8)
FS542	N/A		5 (2.3)
FS554	N/A		6 (2.7)

#### Gas Conversion Kits

- For field conversions two separate kits
- Convert natural to LP/Propane
- Convert LP/Propane to Natural
- · Includes all hardware necessary for gas conversion

Model	Price	Shipping wt. lb (kg)
TNK-VGBQ – Converts 25,000 BTU burner models from LP/Propane to Natural		3 (1.2)
TLPK-VGBQ – Converts 25,000 BTU burner models from Natural to LP/Propane		3 (1.2)
TNK-VGIQ – Converts 25,000 BTU burner in VGIQ models from LP/Propane to Natural		3 (1.2)
TLPK-VGIQ – Converts 25,000 BTU burner VGIQ models from Natural to LP/Propane		3 (1.2)

## 12 Ft. Natural Gas Supply Hose and Quick Disconnect Assembly

- Complete quick disconnect kit for use with natural gas fuel supply
- Hose and connector assembly is intended only for outdoor use with portable appliances that may be moved for convenience of operation
- Valve in the socket automatically allows full gas flow when the plug is connected, and prevents gas flow when the plug is disconnected
- Includes quick disconnect socket with female pipe threads, plug and hose assembly and an adapter to mate with a female fitting on the grill (remove for mating hose to male fittings)

Model	Finish	Price	Shipping wt. lb (kg)
GSH12	N/A		3 (1.4)

# Outdoor Gravity Feed™ Charcoal Smokers



#### 30"W. Portable Gravity Feed Charcoal Smoker

- Professional construction, design, and styling
- Heavy-duty hinges and latches ensure tight seal
- Fully insulated for maximum heat retention
- Three 21"W. x 21"D. slide-out racks
- 6.7 cubic feet cooking capacity
- Removable grease trough for easy cleanup
- · Additional Pro-style handle on side of unit allows for ease of movement

Model	Finish	Price	Shipping wt. lb (kg)
VCPS303SS	SS		375 (170.1)



## 36"W. Portable Gravity Feed Charcoal Smoker

- Professional construction, design, and styling
- Heavy-duty hinges and latches ensure tight seal
- Fully insulated for maximum heat retention
- Four 21"W. x 21"D. slide-out racks
- 9.7 cubic feet cooking capacity
- Adjustible legs for easy leveling
- Removable grease trough for easy cleanup
- Additional Pro-style handle on side of unit allows for ease of movement

Model	Finish	Price	Shipping wt. lb (kg)
VCPS364SS	SS		400 (181.4)



# Gravity Feed™ Charcoal Smoker Vinyl Covers

- · Sturdy reinforced vinyl on the outside; felt lined to protect unit on the inside
- Available in sizes to fit all models

Model	Finish	Price	Shipping wt. lb (kg)
<b>CV30GF</b> (30"W. Model)	N/A		10 (4.5)
CV36GF (36"W. Models)	N/A		10 (4.5)

# VGSB Outdoor Gas Side Burner and VGWTO Wok/Cooker



#### 15"W. Double Side Burners

- Two 15,000 BTU burners
- Heavy-duty stainless steel construction
- NEW Blue LED lit control panel
- Electronic ignition powered by a 12 volt battery pack
- Equipped with porcelainized "V" grates
- Protective stainless steel cover provided

Model	Finish	Price	Shipping wt. lb (kg)
<b>VGSB5153*</b> (Core)	SS		80 (36.3)



#### 24"W. Outdoor Wok/Cooker

- · Agency certified for outdoor use
- 1-27,500 BTU porcelain/cast iron burner
- NEW Blue LED lit control panel
- Electronic ignition powered by a 12 volt battery pack
- 20" stainless steel wok/top standard
- Two-piece porcelain/cast iron grate
   Exclusive Agency certified center trivet allows use of large stock pots
- Stainless steel drip tray on stainless steel ball bearing roller glides
- Heavy-duty stainless steel cover

Model	Finish	Price	Shipping wt. lb (kg)
VGWTO5241*	SS		145 (66.0)
(Specialty)			

<sup>\*</sup>Must specify Natural Gas (N) or LP/Propane (L)

# VEWDO Outdoor Electric 30" and 36"W. Warming Drawers and Accessory



#### **VEWDO**

# Outdoor 30" and 36"W. Warming Drawers

- Agency certified for outdoor use
- · Largest drawer pan available
- **VEWDO530SS** 30"W. model: 20 ½"W. x 6"H. x 22 ¾"D. 1.6 cu. ft.
- **VEWDO536SS** 36"W. model: 25"W. x 6"H. x 22 ¾"D. 2.0 cu. ft.
- Exclusive two half-sized low racks and moisture cup standard
- Stainless steel low racks with slots for heat distribution
- Partially fill moisture cup with water to increase moisture in pan
- Entire drawer removes for easy cleaning
- 30"W. model 450 watt element
- 36"W. model 550 watt element
- Temperature settings from 90°F to 250°F
- Moisture selector control
- Stainless steel roller bearing glides
- · Commercial-type size, construction, design and styling

Model		Finish	Price	Shipping wt. lb (kg)
VEWDO530SS 30"W. Warming Drawer (Specialty)	-	SS		108 (48.6)
VEWDO536SS 36"W. Warming Drawer (Specialty)		SS		124 (55.8)



#### Pan/Lid Set

- Five commercial pans with lids
- Two 2 ½"D. x 12"L. x 7"W.
- Two 4"D. x 12"L. x 7"W.
- One 4"D. x 12"L. x 10 ½"W.
- · Heavy gauge stainless steel

Model	Finish	Price	Shipping wt. lb (kg)
PAN-VEWD	N/A		10 (4.5)

### Outdoor Storage Drawers and Access Doors



#### **SD5300**

#### Built-In 30" and 36"W. Outdoor Storage Drawers

- · Commercial-type size, construction, design and styling
- Sealed for protection against the elements
- Stainless steel roller bearing glides
- Extra large capacity for storing BBQ tools, accessories and seasonings
- **SD5300** 30"W. model: 24 ½"W. x 23"D. x 5 ½"H. 1.9 cu. ft. **SD5360** 36"W. model: 30 ½"W. x 23"D. x 5 ½"H. 2.4 cu. ft.
- Can be built-in indoors as well as outdoors

Model	Finish	Price	Shipping wt. lb (kg)
SD5300 30"W. Storage Drawer (Specialty)	SS		97 (43.5)
SD5360 36"W. Storage Drawer (Specialty)	SS		112 (50.4)



AD51620

#### Access Doors

- Rugged stainless steel construction
- Stainless steel tubular handles
- Hidden pivot point hinges

#### · AD51620

- Single Access Door
- Each door is approximately 16"W. x 20"H.
- Over all dimensions are approximately 20"W. x 23"H.

### · AD52820

- Double Access Door
- Each door is approximately 14"W. x 20"H
- Over all dimensions are approximately 32"W. x 23"H.

Model	Finish	Price	Shipping wt. lb (kg)
AD51620 Single Access Door (Specialty)	SS		50 (22.5)
AD52820 Double Access Door (Specialty)	SS		75 (32.8)

# VWHO Outdoor Wall Hoods and Accessories



VWHO3678

### Wall Hoods - 18"H. / 27"D.

- · Agency certified for outdoor use
- Canopy only; must also purchase interior or exterior ventilator kit, sold separately
   Variable speed ventilator controls; separate controls for on/off and speed control
   Halogen lights with dimmer control; separate controls for on/off and dimmer
   Dishwasher-safe commercial-type SS baffle filters.

- Separate removable grease trough for easy cleaning
- Heat sensor automatically turns ventilator on full power when temperatures reach uncomfortable levels
- Virtually seamless stainless steel canopy interior for easy cleaning

Model	Finish	Price	Shipping wt. lb (kg)
VWHO3678 36"W. Wall Hood (Specialty) Kit Compatibility: VINV1200/DEV1200/DIL1200	SS		74 (33.3)
VWHO4878 48"W. Wall Hood (Specialty) Kit Compatibility: VINV1200/DEV1200/DIL1200/ DEV1500	SS		94 (42.3)
VWHO6078 60"W. Wall Hood (Specialty) Kit Compatibility: VINV1200/DEV1200/DIL1200/ DEV1500	SS		114 (51.3)

Accessories	Description	Price	Shipping wt. lb (kg)
VINV1200	1200 CFM Interior-Power Ventilator Kit		43 (19.4)
DEV1200	1200 CFM Exterior-Power Ventilator Kit		44 (20.0)
DEV1500	1500 CFM Exterior-Power Ventilator Kit		47 (21.3)
DIL1200	1200 CFM In-Line Blower Kit		37 (16.8)
VSIL10	Duct Silencer for 10" Duct (may be used with external or in-line blower kits)		36 (16.3)
ILVK	Vibration Isolation Kit (in-line only)		2 (.9)
DCWO36	36"W. Outdoor Duct Cover		11 (5.0)
DCWO48	48"W. Outdoor Duct Cover		14 (6.3)
DCWO60	60"W. Outdoor Duct Cover		24 (10.8)

### VRCO and VRDO Outdoor Undercounter/Freestanding 24"W. Refrigerators



#### 24"W. Refrigerator

#### · 2014 Energy Compliant

- · Agency certified for outdoor use
- 5.3 cubic feet of storage
- Two full extension adjustable wire shelves hold up to 75 lbs. each
- Each shelf accommodates 54 12-oz. cans
- Electronic controls with digital temperature readout
- Temperature adjusts from 32-39°F
- Forced air cooling system with 700 BTU compressor
- LED lighting
- Super Quiet 39 dB sound rating
- · Stainless steel exterior and interior
- Tru-Flush<sup>™</sup> design fits flush in 24" deep cutouts

Model	Finish	Price	Shipping wt. lb (kg)
VRCO5240D (R/L*) Solid Door (Core)	SS		215 (98)

#### NOTE: Replaces the VRCO1240D.

\*R=right hinge L=left hinge



#### 24"W. Refrigerated Drawers

- · 2014 Energy Compliant
- · Agency certified for outdoor use
- 5.3 cubic feet of storage
- 200 lb. capacity full extension drawers
- Electronic controls with digital temperature readout
- Temperature adjusts from 32-39°F
- Forced air cooling system with 700 BTU compressor
- LED lighting
- Super Quiet 39 dB sound rating
- Stainless steel exterior and interior
- Tru-Flush™ design fits flush in 24" deep cutouts

Model	Finish	Price	Shipping wt. lb (kg)
VRDO5240D	SS		215 (98)
(Specialty)			

NOTE: Replaces the VRDO1240D.

# FGIM/FPIM/FGNI/FPNI Outdoor Undercounter/Freestanding 15"W. Ice Machine/Accessories



Shown with Professional Door Panel

#### 15"W. Clear Ice Machines

- Produces up to 65 lbs. of clear ice per day
- 26 lb. capacity ice bin
- 1" x 11/8" x 11/4" cube size
- LED light
- LED control panel
- · Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design

Model	Finish	Price	Shipping wt. lb (kg)
FGIM515 Gravity Drain (Core)	Accepts Professional stainless steel panel		113 (50.9)
FPIM515 Drain Pump (Core)	Accepts Professional stainless steel panel		118 (53.1)



Shown with Professional Door Panel

- 15"W. Nugget Ice Machines
   Produces up to 80 lbs. of nugget ice per day
- 26 lb. capacity ice bin
- · Soft and chewable ice
- LED light
- LED control panel
- Water quality sensor
- Stainless steel exterior cabinet
- Tru-Flush™ Design

Model	Finish	Price	Shipping wt. lb (kg)
FGNI515 Gravity Drain (Specialty)	Accepts Professional stainless steel panel		124 (56.2)
FPNI515 Drain Pump (Specialty)	Accepts Professional stainless steel panel		129 (58.5)

Accessories	Description	Price	Shipping wt. lb (kg)
PIDP15TL-SS	Professional Outdoor stainless steel door panel - LH		14 (6.3)
PIDP15TR-SS	Professional Outdoor stainless steel door panel - RH		14 (6.3)
DP-FGIM	Ice Machine Drain Pump		5 (2.3)
IMC16OZ	Ice Machine Cleaner Case		1.6 (0.8)

#### Stainless Steel Cabinets



# 30"D. Grill Base\*

- · Commercial-type construction, design and styling
- · All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Drawers equipped with full extension slides
- · Heavy-duty adjustable legs
- Optional toe kick included
- **VQBO4121:** 41 %"W. x 29 %"D. x 34 ½"H. grill base
- For use with any Viking 42"W. Outdoor 5 Series grill **VQBO5322:** 53 %"W x 29 %"D. x 34 ½"H. grill base
- For use with any Viking 54"W. Outdoor 5 Series grill

#### **VQBO4121**

Model		Finish	Price	Shipping wt. lb (kg)
VQBO4121 (Specialty)	31/333	SS		235 (106.6)
VQBO5322 (Specialty)		SS		279 (126.6)



#### vowo

## Grill Base With Warming Drawer Access\*

- · Commercial-type construction, design and styling
- · All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- Drawers equipped with full extension slides
- · Heavy-duty adjustable legs and optional toe kick included
- **VQWO4120:** 41 %"W. x 29 %"D. x 34 ½"H. grill base with warming drawer
  - For use with any Viking 42"W. Outdoor 5 Series grill & 36"W. outdoor warming drawer access
- VQWO5311: 53 %"W. x 29 %"D. x 34 1/2"H. grill base with warming drawer
- For use with any Viking 54"W. Outdoor 500 Series grill & 36"W. outdoor warming drawer access

Model	Finish	Price	Shipping wt. lb (kg)
VQWO4120 (Specialty)	 SS		226 (102.5)
VQWO5311 (Specialty)	 SS		265 (120.2)

<sup>\*</sup>Note – neither grill nor warming drawer is included with the cabinet and must be purchased separately. All cabinets must be installed with locally supplied countertop.

#### Stainless Steel Cabinets



#### 30"D. Double Side Burner Base\*

- · Commercial-type construction, design and styling
- All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- · Heavy-duty adjustable legs
- Optional toe kick included
- · VBBO1601
  - 16"W. x 29 %"D. x 34 ½"H. side burner base
  - For use with Viking Outdoor double side burners

Model	Finish	Price	Shipping wt. lb (kg)
VBBO1601 (Specialty)	SS		104 (47.2)

<sup>\*</sup>Note - the VGSB burners are not included with the cabinet and must be purchased separately. All cabinets must be installed with locally supplied countertop.



#### 30"D. Wok Base\*

- · Commercial-type construction, design and styling
- · All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- · Heavy-duty adjustable legs
- Optional toe kick included
- · VBBO2602
- 26"W. x 29 %"D. x 34 ½"H. multi-use base

Model	Finish	Price	Shipping wt. lb (kg)
VBBO2602	ss		160 (72.6)
(Specialty)			

<sup>\*</sup>Note - appliance is not included with the cabinet and must be purchased separately. All cabinets must be installed with locally supplied countertop.



#### 30"D. Undercounter Refrigeration Base\*

- · Commercial-type construction, design and styling
- · All cabinets are constructed completely of heavy-duty stainless steel
- Optional toe kick included
- · VURO3200
- 32"W. x 30"D. x 34 ½"H. refrigeration base
- For use with Viking 24"W. refrigeration products

Model	Finish	Price	Shipping wt. lb (kg)
VURO3200	SS		125 (56.7)
(Specialty)			

<sup>\*</sup>Note – refrigeration units are not included and **must** be purchased separately

# Stainless Steel Cabinets



#### 30"D. Outdoor Stainless Steel Base Cabinets\*

- Commercial-type construction, design and styling
- All cabinets are constructed completely of heavy-duty stainless steel
- Fully concealed door hinges
- Professional-style handles match Viking outdoor appliances
- · Heavy-duty adjustable legs
- Optional toe kick included
- For general use in cabinet runs
- · VBO1811
- 18"W. x 29 %"D. x 34 ½"H. base cabinet
- 18"W. x 29
- 18"W. x 29 %"D. x 34 ½"H. base cabinet
- · VSBO2402
- 24"W. x 29 %"D. x 34 ½"H. sink base cabinet
- · VTPO1810
- 18"W. x 29 %"D. x 34  $\frac{1}{2}$ "H. trash pullout base cabinet

Model	Finish	Price Shipping wt. lb (kg)
VBO1811 (Specialty)	SS	141 (63.7)
VBO1830 (Specialty)	SS	156 (70.8)
VSBO2402 (Specialty)	SS	165 (74.8)
VTPO1810 (Specialty)	SS	145 (65.8)

<sup>\*</sup> All cabinets **must** be installed with locally supplied countertop. Sink is not supplied with VSBO2402.

# Stainless Steel Cabinet Accessories

# Filler Strips and Inner and Outer Corner Units

- Attach between cabinets to separate cabinets and create turns
- Sides are to be mounted flush with doors and not the cabinet face
- · Optional toe kick included

Accessories	Description	Price	Shipping wt. lb (kg)
<b>VCF90</b> (each side is 2¾"W.)	Corner filler strip (for use in 90° cabinet bends)		5 (2.3)
<b>VCF135</b> (each side is 2¾"W.)	Corner filler strip (for use in 135° cabinet bends)		5 (2.3)
VFLR4 (3¾"W.)	General filler strip used to separate appliance based cabinets		5 (2.3)
VFLR8 (8"W.)	General filler strip used to separate appliance based cabinets		9 (4.1)
VOCF90 (each side is 8"W.) Shipped with two unattached back panels	Outer corner filler strip used to connect two back panels at a 90° angle and add countertop support.		40 (18.1)
VOCF135 (each side is 4"W.) Shipped with two unattached back panels	Outer corner filler strip used to connect two back panels at a 135° angle and add countertop support.		40 (18.1)

#### Cabinet Side Panels

- · Heavy-duty stainless steel
- Used to finish sides of base cabinets at the end of the cabinet run
- Fit flush into recessed sides of cabinets
- Optional toe kick included

Accessories	Description	Price	Shipping wt. lb (kg)
<b>VSP30</b> (30"W. x 29 3/4"H.)	To finish the side of any base cabinet at the end of a run		16 (7.3)

# Viking Back Panels For Use In Custom Island Applications

- Heavy-duty stainless steel
- For use in custom island installations
- Individual back panels for each Viking outdoor cabinet
- 3/4" thickness will add to the depth of the cabinetry
- Optional toe kick included

Accessories	Description	Price	Shipping wt. lb (kg)
VBP16 (16"W. back panel)	For use with VBBO1601		10 (3.7)
<b>VBP18</b> (18"W. back panel)	For use with VBO1811/VBO1830/VTPO1810		12 (5.4)
VBP24 (24"W. back panel)	For use with VSBO2402/VURO2400		15 (6.8)
<b>VBP26</b> (26"W. back panel)	For use with VBBO2602		17 (7.7)
<b>VBP32</b> (32"W. back panel)	For use with VURO3200		21 (9.5)
VBP41 (41"W. back panel)	For use with VQBO4121/VQWO4120		25 (11.3)
<b>VBP53</b> (53"W. back panel)	For use with VQBO5322/VQWO5311		32 (14.5)
VBPFLR4 (4"W. back panel)	For use with VFLR4		5 (2.3)
VBPFLR8 (8"W. back panel)	For use with VFLR8		9 (4.1)